



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

#### Books

Alam M, Nguyen TH, eds. Treatment of leg veins. 2006 Elsevier.

Bergan JJ, Bunke-Paquette N, eds. The Vein Book, 2nd edition. 2014; Oxford University Press.

Comerota AJ. Practical Phlebology: Deep Vein Thrombosis. 2013; CRC Press.

Forrestal M, Neuhardt D, eds. The Fundamentals of Phlebology Venous Disease for Clinicians, 3rd edition, 2014; American College of Phlebology.

Glovickzi P. Handbook of Venous Disorders, Third Edition, 2009, Edward Arnold Publishers, Ltd.

Goldman M, Guex JJ, Weiss RA. Sclerotherapy: Treatment of varicose and telangiectatic leg veins, Fifth edition. 2011; Philadelphia Saunders Elsevier.

Lee BB, Bergan J, Rockson, S eds. Lymphedema A Concise Compendium of Theory and Practice. 2011, London: Springer.

Thrush and Hartshorne. Peripheral Vascular Ultrasound. 2005, Elsevier.

Zygmunt J, Pichot O, Dauplaise T. Practical Phlebology: Venous Ultrasound. 2013; CRC Press.

#### Journal Issues

Guyat GH, Akl, MD EA, Crowther M et al. Antithrombotic Therapy and Prevention of Thrombosis, 9th ed: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines. Chest. 2012;141(2\_suppl).

Lee BB (ed). Special issue on Congenital Vascular Malformations. Phlebology. Dec 2007; 22 (6): 245 – 303.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### **Key References: November 2015**

Meissner MH, Gloviczki P, Bergan J, Kistner RL, Morrison N, Pannier F, Pappas PJ, Rabe E, Raju S, Villavicencio JL. Primary chronic venous disorders. *J Vasc Surg.* 2007 Dec;46 Suppl S:54S-67S.

Meissner MH, Eklof B, Smith PC, Dalsing MC, DePalma RG, Gloviczki P, Moneta G, Neglén P, O' Donnell T, Partsch H, Raju S. Secondary chronic venous disorders. *J Vasc Surg.* 2007 Dec;46 Suppl S:68S-83S.

### **Journal Articles**

Amsler F, Rabe E, Blättler W. Leg symptoms of somatic, psychic, and unexplained origin in the population-based Bonn vein study. *Eur J Vasc Endovasc Surg.* 2013;46(2):255-62.

Anwar MA, Georgiadis KA, Shalhoub J, Lim CS, Gohel MS, Davies AH. A review of familial, genetic, and congenital aspects of primary varicose vein disease. *Circ Cardiovasc Genet.* 2012;5(4):460-6.

Barron GS et al. Dermatologic complications of chronic venous disease: medical management and beyond. *Ann Vasc Surg* 2007;21(5):652-62.

Bastounis EA, Karayiannakis AJ, Makri GG, Alexiou D, Papalamgros EL. The incidence of occult cancer in patients with deep venous thrombosis: a prospective study. *J of Int Med.* 1996;239(2):163-156.

Bergan JJ, Schmid-Schönbein GW, Smith PD, Nicolaides AN, Boisseau MR, Eklof B. Chronic venous disease. *N Engl J Med.* 2006;355(5):488-98.

Bergqvist D, Björck M, Ljungman C. Popliteal venous aneurysm--a systematic review. *World J Surg.* 2006 Mar;30(3):273-9.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

Biegeleisen K, Neilsen RD, O'Shaughnessy A. Inadvertent intra-arterial injection complicating ordinary and ultrasound-guided sclerotherapy. *J Dermatol Surg Onc* 1993;19:953-58.

Black CM, Thorpe K, Venbrux A, et al. Research reporting standards for endovascular treatment of pelvic venous insufficiency. *J Vasc Interv Radiol* 2010; 21:796-803.

Brake M, Lim CS, Shepherd AC, Shalhoub J, Davies AH. Pathogenesis and etiology of recurrent varicose veins. *J Vasc Surg.* 2013 Mar;57(3):860-8.

Breu FX, et al. 2nd European Consensus Meeting on Foam Sclerotherapy 2006, Tegernsee, Germany. *Vasa.* 2008 Feb;37 Suppl 71:1-29.

Caggiati A, Mendoza E. Segmental hypoplasia of the great saphenous vein and varicose disease. *Eur J Vasc Endovasc Surg.* 2004;28(3):257-61.

Caggiati A, Bergan JJ, Gloviczki P, Eklof B, Allegra C, Partsch H; International Interdisciplinary Consensus Committee on Venous Anatomical Terminology. Nomenclature of the veins of the lower limb: extensions, refinements, and clinical application. *J Vasc Surg.* 2005 Apr;41(4):719-24.

Caggiati A, Rosi C, Franceschini M, Innocenzi D. The nature of skin pigmentations in chronic venous insufficiency: a preliminary report. *Eur J Vasc Endovasc Surg.* 2008;35:111-8.

Callam MJ, Harper KA. Arterial disease in chronic leg ulceration: an underestimated hazard? *Br. Med J* 1987;294(6577):929-931.

Callam MJ. Epidemiology of varicose veins. *Br J Surg* 1994; 81:167-73.

Caprini, Venous Thromboembolism Risk Factor Assessment, revised November 4, 2006.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

Cavezzi A, Labropoulos N, Partsch H, Ricci S, Caggiati A, Myers K, Nicolaides A, Smith PC. Duplex ultrasound investigation of the veins in chronic venous disease of the lower limbs--UIP consensus document. Part II. Anatomy. *Vasa*. 2007 Feb;36(1):62-71.

Coleridge-Smith P, Labropoulos N, Partsch H, Myers K, Nicolaides A, Cavezzi A. Duplex ultrasound investigation of the veins in chronic venous disease of the lower limbs--UIP consensus document. Part I. Basic principles. *Eur J Vasc Endovasc Surg*. 2006 Jan;31(1):83-92.

Cosmi B et al. Use of D-dimer testing to determine duration of anticoagulation, risk of cardiovascular events and occult cancer after a first episode of idiopathic venous thromboembolism: the extended follow-up of the PROLONG study. *J Thromb Thrombolysis*. 2009 Nov;28(4):381-8. Epub 2009 Mar 14.

Cosmi B, Legnani C, Iorio A, Pengo V, Ghirarduzzi A, Testa S, et al. Residual venous obstruction, alone and in combination with D-Dimer, as a risk factor for recurrence after anticoagulation withdrawal following first idiopathic deep vein thrombosis in the Prolong Study. *Eur J Vasc Endovasc Surg* 2010; 39:356-365.

De Maeseneer M, Pichot O, Cavezzi A, Earnshaw J, van Rij A, Lurie F, Smith PC; Union Internationale de Phlebologie. Duplex ultrasound investigation of the veins of the lower limbs after treatment for varicose veins - UIP consensus document. *Eur J Vasc Endovasc Surg*. 2011;42(1):89-102.

Decousus H, Prandoni P, Mismetti P, et al. Fondaparinux for the Treatment of Superficial-Vein Thrombosis in the Legs. *N Engl J Med* 2010 Sep 23;363(13):1222-32.

Eerenberg ES, Kamphuisen PW, Sijpkens MK, Meijers JC, Buller HR, Levi M. Reversal of rivaroxaban and dabigatran by prothrombin complex concentrate: a randomized, placebo-controlled, crossover study in healthy subjects. *Circulation*. 2011;124(14):1573-9.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

Eklof B, Rutherford RB, Bergan JJ, Carpentier PH, Gloviczki P, Kistner RL, et al. Revision of the CEAP classification for chronic venous disorders consensus statement. *Journal of Vascular Surgery*. 2004;40(6):1248-52.

Eklof B, Perrin M, Delis KT, Rutherford RB, Gloviczki P; American Venous Forum; European Venous Forum; International Union of Phlebology; American College of Phlebology; International Union of Angiology. Updated terminology of chronic venous disorders: the VEIN-TERM transatlantic interdisciplinary consensus document. *J Vasc Surg*. 2009 Feb;49(2):498-501.

Enden T, Haig Y, Kløw NE, et al on behalf of the CaVenT Study Group. Long-term outcome after additional catheter-directed thrombolysis versus standard treatment for acute iliofemoral deep vein thrombosis (the CaVenT study) a randomised controlled trial. *Lancet* 2012; 379 31-38.

Enden T, Kløw NE, Sandvik L, Slagsvold CE, Ghanima W, Hafsaal G, Holme PA, Holmen LO, Njaastad AM, Sandbaek G, Sandset PM. CaVenT study group. Catheter-directed thrombolysis vs. anticoagulant therapy alone in deep vein thrombosis results of an open randomized, controlled trial reporting on short-term patency. *J Thromb Haemost*. 2009 Aug;7(8):1268-75.

Fader DJ, Johnson TM. Medical issues and emergencies in the dermatology office. *J Am Acad Dermatol* 1997 Jan;36(1):1-16.

Forlee MV, Grouden M, Moore DJ, Shanik G. Stroke after varicose vein foam injection sclerotherapy. *J Vasc Surg*. 2006 Jan;43(1):162-4.

Frullini A, Cavezzi A. Sclerosing foam in the treatment of varicose veins and telangiectases: history and analysis of safety and complications. *Dermatol Surg*. 2002; 28:11-15.

Galanaud, JP. Sevestre, MA. et al. Comparison of the clinical history of symptomatic isolated muscular calf vein thrombosis versus deep vein thrombosis. *J Vasc Surg* 2010;52:932-38.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

Gasparis A, Awadallah M, Meisner RJ, Lo C, Labropoulos N. Recurrent popliteal vein aneurysm. *J Vasc Surg.* 2010 Feb;51(2):453-7.

Gasparis AP, Spentzouris G, Meisner RJ, Elitharp D, Labropoulos N, Tassiopoulos A. Improving retrieval rates of temporary inferior vena cava filters. *J Vasc Surg.* 2011 Dec;54(6 Suppl):34S-8S

Gillet J, Guedes JM, Guex JJ et al. Side-effects and complications of foam sclerotherapy of the great and small saphenous veins a controlled multicentre prospective study including 1025 patients. *Phlebology* 2009 Jun;24(3):131-8.

Gloviczk P, Comerota AJ, Dalsing MC, Eklof BG, Gillespie DL, Gloviczk ML, et al. The care of patients with varicose veins and associated chronic venous diseases clinical practice guidelines of the Society for Vascular Surgery and the American Venous Forum. *J Vasc Surg* 2011;53(5 Suppl)2S-48S.

Gohel MS, Barwell JR, Taylor M, Chant T, Foy C, Earnshaw JJ, Heather BP, Mitchell DC, Whyman MR, Poskitt KR. Long term results of compression therapy alone versus compression plus surgery in chronic venous ulceration (ESCHAR): randomised controlled trial. *BMJ.* 2007 Jul 14;335(7610):83.

Guyatt et al. Grading Strength of Recommendations and Quality of Evidence in Clinical Guidelines\* Report From an American College of Chest Physicians Task Force. *Chest* 2006;129;174-181.

Hamel-Desnos C, Desnos P, Wollmann JC, Ouvry P, Mako S, Allaert FA. Evaluation of the efficacy of polidocanol in the form of foam compared with liquid form in sclerotherapy of the greater saphenous vein: initial results. *Dermatol Surg.* 2003; 29:1170-1175.

Haas S, Spannagl M, Schellong SM. Novel oral anticoagulants--key messages for the angiologist. *Vasa.* 2012 May;41(3):177-91.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

Henke and Comerota, An update on etiology, prevention, and therapy of postthrombotic syndrome, *J Vasc Surg* 2011;53:500-09.

Hobbs JT. The pelvic congestion syndrome. *Br J Hosp Med* 1990; 43:200-206.

Humphreys ML, Stewart AHR, Gohel MS et al. Management of mixed arterial and venous ulcers. *Br J Surg* 2007; 94:1104-07.

Jull AB, Water J, Arroll B. Pentoxyfylline for treating leg ulcers. *Cochrane Database of Systematic Reviews* 2002 Issue 1, Art. No. CD001733.

Kahn SR, Partsch H, Vedantham S, Prandoni P, Kearon C. Definition of post-thrombotic syndrome of the leg for use in clinical investigations: a recommendation for standardization. *J Thromb Haemost* 2009; 7: 879-83.

Kaufman JA, Kinney TB, Streiff MB, et al. Guidelines for the use of retrievable and convertible vena cava filters report from the society of interventional radiology multidisciplinary consensus conference. *J Vasc Interv Radiol* 2006 Mar;17(3):449-59.

Kern P, Ramelet AA, Wutschert R, Bounameaux H, Hayoz D. Single-blind, randomized study comparing chromated glycerin, polidocanol solution, and polidocanol foam for treatment of telangiectatic leg veins. *Dermatol Surg*. 2004 Mar;30(3):367-72; discussion 372.

Kessler CM. The link between cancer and venous thromboembolism: a review. *Am J Clin Oncol*. 2009 Aug;32(4 Suppl):S3-7. doi: 10.1097/COC.0b013e3181b01b17

Kistner RL, Kamida CB. 1994 update on phlebography and varicography. *Dermatol Surg*. 1995 Jan;21(1):71-6.

Klein J. Tumescent technique for regional anesthesia permits lidocaine doses of 35 mg/kg for liposuction. *J Dermatol Oncol*. 1990 Mar;16(3):248-63.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

Klein SJ, Gasparis AP, Virvillis D, Ferretti JA, Labropoulos N. Prospective determination of candidates for thrombolysis in patients with acute proximal deep vein thrombosis. *J Vasc Surg.* 2010 Apr;51(4):908-12.

Kuet ML, Lane TR, Anwar MA, Davies AH. Phlebology. Comparison of disease-specific quality of life tools in patients with chronic venous disease. 2013 Aug 20. (Epub ahead of print)

Krysa J, Jones GT, van Rij AM. Evidence for a genetic role in varicose veins and chronic venous insufficiency. *Phlebology.* 2012;27(7):329-35.

Labropoulos N, Delis K, Nicolaides AN et al. The role of the distribution and anatomic extent of reflux in the development of signs and symptoms in chronic venous insufficiency. *J Vasc Surg* 1996; 23(3):504-10.

Labropoulos N, Tassiopoulos AK, Gasparis AP et al. Veins along the course of the sciatic nerve. *J Vasc Surg* 2009 Mar;49(3):690-6.

Labropoulos N, Tiongson J, Pryor L, Tassiopoulos AK, Kang SS, Mansour MA, Baker WH. Nonsaphenous superficial vein reflux. *J Vasc Surg.* 2001;34(5):872-7.

Labropoulos N, Borge M, Pierce K, Pappas PJ. Criteria for defining significant central vein stenosis with duplex ultrasound. *J Vasc Surg* 2007;46:101-7.

Labropoulos et al. Definition of venous reflux in lower extremity veins. *J Vasc Surg* 2003;38(4):793-8.

Labropoulos N, Kokkosis A, Spentzouris G, Gasparis AP, Tassiopoulos AK. The distribution and significance of varicosities in the saphenous trunks. *J Vasc Surg* 2010;51:96-103.

Labropoulos N, Jen J, Jen H, Gasparis AP, Tassiopoulos AK. Recurrent Deep Vein Thrombosis: Long Term Incidence and Natural History. *Ann Surg* 2010;251:749-53.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

Labropoulos N, Spentzouris G, Gasparis AP, Meissner M. Impact and clinical significance of recurrent venous thromboembolism. *Br J Surg.* 2010;97:989-99.

Lee BB, Andrade M, Bergan J. et al. Diagnosis and treatment of primary lymphedema. Consensus document of the International Union of Phlebology (IUP)-2009. *Int Angiol.* 2010 Oct;29(5):454-70.

Lee BB, Bergan J, Gloviczki P. et al. Diagnosis and treatment of venous malformations. Consensus document of the International Union of Phlebology (IUP)-2009. *Int Angiol.* 2009 Dec;28(6):434-51.

Lurie F, Creton D, Eklof B, Kabnick LS, Kistner RL, Pichot O, Schuller-Petrovic S, Sessa C. Prospective randomized study of endovenous radiofrequency obliteration (closure procedure) versus ligation and stripping in a selected patient population (EVOLVeS Study). *J Vasc Surg.* 2003 Aug;38(2):207-14.

Lurie F, Creton D, Eklof B, Kabnick LS, Kistner RL, Pichot O, Sessa C, Schuller-Petrovic S. Prospective randomized study of endovenous radiofrequency obliteration (closure) versus ligation and vein stripping (EVOLVeS): two-year follow-up. *Eur J Vasc Endovasc Surg.* 2005 Jan;29(1):67-73.

Marsden G, Perry M, Kelley K, Davies AH; Guideline Development Group. Diagnosis and management of varicose veins in the legs: summary of NICE guidance. *BMJ.* 2013 Jul 24;347:f4279.

Marston W. Evaluation and treatment of leg ulcers associated with chronic venous insufficiency. *Clin Plast Surg.* 2007 Oct;34(4):717-30.

Marston W, Fish D, Unger JU, Keagy B. Incidence of and risk factors for ilio caval venous obstruction in patients with active or healed venous leg ulcers. *J Vasc Surg* 2011;53:1303-8.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

Marston, W, Owens et al, Endovenous saphenous ablation corrects the hemodynamic abnormality in patients with CEAP clinical class 3-6 CVI due to superficial reflux. *Vasc and Endovasc Surg* 2006 Mar-Apr;40(2):125-30.

Martin DE, Goldman MP. A comparison of sclerosing agents: clinical and histologic effects of intravascular sodium tetradecyl sulfate and chromated glycerin in the dorsal rabbit ear vein. *J Dermatol Surg Oncol*. 1990 Jan;16(1):18-22.

Maurins U, Hoffmann BH, Lösch C, Jöckel KH, Rabe E, Pannier F. Distribution and prevalence of reflux in the superficial and deep venous system in the general population—results from the Bonn Vein Study, Germany. *J Vasc Surg*. 2008 Sep;48(3):680-7.

Meissner MH. What is the medical rationale for the treatment of varicose veins? *Phlebology*. 2012 Mar;27 Suppl 1:27-33.

Meissner, MH et al. Early thrombus removal strategies for acute deep venous thrombosis clinical practice guidelines of the Society for Vascular Surgery and the American Venous Forum. *J Vasc Surg*. 2012 May;55(5):1449-62.

Milic DJ, Zivic SS, Bogdanovic DV, et al. Risk factors related to the failure of venous leg ulcers to heal with compression treatment. *J Vasc Surg* 2009;49:1242-7.

Min RJ, Khilnani N, Zimmet SE. Endovenous laser treatment of saphenous vein reflux: long-term results. *J Vasc Interv Radiol*. 2003 Aug;14(8):991-6.

Morrison and Neuhardt. Foam sclerotherapy: cardiac and cerebral monitoring. *Phlebology* 2009;24:252-9.

Mosti G, Partsch H. Is low compression pressure able to improve venous pumping function in patients with venous insufficiency? *Phlebology* 2010;25:145-50.

Mosti G, Iabichella ML, Partsch H. Compression therapy in mixed ulcers increases venous output and arterial perfusion. *J Vasc Surg*. 2012 Jan;55(1):122-8.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

Neglen P, Thrasher TL, Raju S. Venous outflow obstruction: An underestimated contributor to chronic venous disease. *J Vasc Surg* 2003; 38(5):879-85.

Neglen P. Chronic deep venous obstruction: definition, prevalence diagnosis, management. *Phlebology* 2008;23:149-57.

Nelson EA, Iglesias CP, Cullum N, et al: Randomized clinical trial of four-layer and short- stretch compression bandages for venous leg ulcers (VenUS I). *Br J Surg* 91:1292-1299, 2004.

Nicolaides AN, Allegra C, Bergan J, Bradbury A, Cairols M, Carpentier P, Comerota A, Delis C, Eklof B, Fassiadis N, Georgiou N, Geroulakos G, Hoffmann U, Jantet G, Jawien A, Kakkos S, Kalodiki E, Labropoulos N, Neglen P, Pappas P, Partsch H, Perrin M, Rabe E, Ramelet AA, Vayssaira M, Ioannidou E, Taft A. Management of chronic venous disorders of the lower limbs: guidelines according to scientific evidence. *Int Angiol* 2008;27:1-59.

O'Donnell T. The role of perforators in chronic venous insufficiency. *Phlebology* 2010;253-10.

O'Donnell TF Jr, Iafrati MD. The small saphenous vein and other 'neglected' veins of the popliteal fossa: a review. *Phlebology*. 2007;22(4):148-55.

O'Donnell TF Jr. The present status of surgery of the superficial venous system in the management of venous ulcer and the evidence for the role of perforator interruption. *J Vasc Surg*. 2008 Oct;48(4):1044-52.

Olivencia JA. Complications of ambulatory phlebectomy: review of 1000 consecutive cases. *Dermatol Surg* 1997; 23:51-4.

Palareti g, et al Prolong Investigators. D-dimer testing to determine the duration of anticoagulation therapy. *N Engl J Med.* 2006 Oct 26; 355 (17): 1780-9.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

Pannier F, Rabe E. Progression of Chronic Venous Disorders: Results from the Bonn Vein Study. *Journal of Vascular Surgery*. 2011;53(1):254-5.

Parsi K. Venous gas embolism during foam sclerotherapy of saphenous veins despite recommended treatment modifications, *Phlebology* 2010; 26: 140-147.

Parsi K, Zimmet S, Allegra C, Bergan J, Gasparis AP, Labropoulos N, Lee BB, Malouf GM, Partsch H, Rabe E, Ramelet AA, Schadeck M, Vin F. Phlebology training curriculum. A consensus document of the International Union of Phlebology (UIP)-2010. *Int Angiol* 2010;29:533-59.

Parsi K. Paradoxical embolism, stroke and sclerotherapy. *Phlebology* 2012 Jun;27(4):147-67.

Partsch H, Flour M, Smith PC, et al. Indications for compression therapy in venous and lymphatic disease. Consensus based on experimental data and scientific evidence. *Int Angiol* 2008 Jun;27(3):193-219.

Perrin MR, Labropoulos N, Leon LR Jr. Presentation of the patient with recurrent varices after surgery (REVAS). *J Vasc Surg*. 2006 Feb;43(2):327-34.

Piller N. Phlebolymphoedema/chronic venous lymphatic insufficiency: an introduction to strategies for detection, differentiation and treatment. *Phlebology*. 2009;24(2):51-55.

Prandoni P, Lensing AW, Prins MH, Frulla M, Marchiori A, Bernardi E, et al. Below-knee elastic compression stockings to prevent the post-thrombotic syndrome a randomized, controlled trial. *Ann Intern Med* 2004 Aug 17;141(4):249-56.

Rabe E, Otto J, Schliephake D, Pannier F. Efficacy and safety of great saphenous vein sclerotherapy using standardized polidocanol foam (ESAF): a randomized controlled multicenter clinical trial. *Eur J Vasc Endovasc Surg*. 2008 Feb;35(2):238-45.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

Rabe E, Breu F, Cavezzi A, Smith PC, Frullini A, Gillet J, Guex J, Hamel-Desnos C, Kern P, Partsch B, Ramelet A, Tessari L, Pannier F; for the Guideline Group. European guidelines for sclerotherapy in chronic venous disorders. *Phlebology*. 2013 Apr 4. [Epub ahead of print]

Raju S, Neglén P. Clinical practice. Chronic venous insufficiency and varicose veins. *N Engl J Med*. 2009 May 28;360(22):2319-27.

Raju S, Furrh JB 4th, Neglén P. Diagnosis and treatment of venous lymphedema. *J Vasc Surg* 2012; 55: 141-9.

Raffetto JD, Khalil RA. Mechanisms of varicose vein formation: valve dysfunction and wall dilation. *Phlebology*. 2008;23(2):85-98.

Raffetto JD. Inflammation in chronic venous ulcers. *Phlebology*. 2013 Mar;28 Suppl 1:61-7.

Ricci S. Ultrasound observation of the sciatic nerve and its branches at the popliteal fossa: always visible, never seen. *Eur J Vasc Endovasc Surg*. 2005 Dec;30(6):659-63.

Rudloff U, Holmes RJ, Prem JT, et al. Meso-aortic compression of the left renal vein (Nutcracker Syndrome): case reports and review of the literature. *Annals of Vascular Surgery* 2006; 20(1):120-129.

Rutherford RB, Padberg FT Jr, Comerota AJ, Kistner RL, Meissner MH, Moneta GL. American Venous Forum's Ad Hoc Committee on Venous Outcomes Assessment. Venous severity scoring An adjunct to venous outcome assessment. *J Vasc Surg* 2000 Jun;31(6):1307-12.

Sacks D, Bakal CW, Beatty PT, Becker GJ, Cardella JF, Raabe RD, Wiener HM, Lewis CA. Position statement on the use of the ankle brachial index in the evaluation of patients with peripheral vascular disease. A consensus statement developed by the Standards Division of the Society of Interventional Radiology. *J Vasc Interv Radiol* 2003 Sep;14(9 Pt 2):S389.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

Schwarzmann M, Nedeltchev K, Lagger F, et. al. Prevalence and size of directly detected patent foramen ovale in migraine with aura. *Neurology* 2005;65:1415-1418.

Smith CJ. Type I and II errors what are they and why do they matter? *Phleb* 2012 Jun;27(4):199-200.

Smith CJ. Diagnostic tests (1) – sensitivity and specificity. *Phlebology*, August 2012; vol. 27, 5: pp. 250-251.

Smith CJ. Diagnostic tests (2) – positive and negative predictive values. *Phlebology*, September 2012; vol. 27, 6: pp. 305-06.

Smith CJ, Fox ZV. The use and abuse of hypothesis tests: how to present the P values. *Phlebology* 2010;25(3):107-12.

Smith SR, Goldman MP: Tumescent anesthesia in ambulatory phlebectomy. *Dermatol Surg* 1998; 24(4): 453-6.

Tessari L, Cavezzi A, Frullini A. Preliminary experience with a new sclerosing foam in the treatment of varicose veins. *Dermatol Surg* 2001;27(1):58-60.

Theivacumar et al. The clinical significance of below-knee great saphenous vein reflux following endogenous laser ablation of above-knee great saphenous vein. *Phlebology* 2009;24:17-20.

Timperman PE. Endovenous laser treatment of incompetent below-knee great saphenous veins. *J Vasc Interv Radiol* 2007 Dec;18(12):1495-9.

Timperman PE. Prospective evaluation of higher energy great saphenous vein endovenous laser treatment. *J Vasc Interv Radiol* 2005 Jun;16(6):791-4.

Turpie AGG. Rivaroxaban for the prevention and treatment of venous thromboembolism. *Fundamental & Clinical Pharmacology*. 2012;26(1)33-8.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### Key References: November 2015

Vasquez MA, Rabe E, McLafferty RB et al. Revision of the venous clinical severity score: venous outcomes consensus statement: special communication of the American Venous Forum Ad Hoc Outcomes Working Group. *J Vasc Surg.* 2010 Nov;52(5):1387-96.

Villalta S, Bagatella P, Piccioli A, Lensing AW, Prins MH, Prandoni P. Assessment of validity and reproducibility of a clinical scale for the postthrombotic syndrome. *Haemostasis* 1994; 24 (suppl 1) 157.

van Rij AM, Jones GT, Hill GB, Jiang P. Neovascularization and recurrent varicose veins: more histologic and ultrasound evidence. *J Vasc Surg.* 2004;40(2):296-302.

Vincent JR, Jones GT, Hill GB, van Rij AM. Failure of microvenous valves in small superficial veins is a key to the skin changes of venous insufficiency. *J Vasc Surg.* 2011 Dec;54(6) Suppl:62S-9S.

Vogel D, Comerota AJ, Al-Jabouri M, Assi ZI. Common femoral endovenectomy with ilio caval endoluminal recanalization improves symptoms and quality of life in patients with postthrombotic iliofemoral obstruction. 2012 Jan;55(1):129-35.

Warkentin TE, Greinacher A, Koster A et al. Treatment and prevention of heparin-induced thrombocytopenia: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8th Edition). *CHEST* 2008;133;340S-380S.

Windish DM, Huot SJ. Medicine Residents understanding of the Biostatistics and results in the Medical Literature. *JAMA* 2007;298(9):1010-1021.

Wells PS, et. al. Excluding pulmonary embolism at the bedside without diagnostic imaging: management of patients with suspected pulmonary embolism presenting to the emergency department by using a simple clinical model and d-dimer. *Ann Intern Med* July 17, 2001; 135:98-107.



## THE AMERICAN BOARD OF VENOUS & LYMPHATIC MEDICINE

### **Key References: November 2015**

Yamaki et al. Multiple small-dose injections can reduce the passage of sclerosant foam into deep veins during foam sclerotherapy for varicose veins. *Eur J Vasc Endovasc Surg.* 2009 Mar;37(3):343-8.

Zimmet, S. The prevention of cutaneous necrosis following extravasation of hypertonic saline and sodium tetradecyl sulfate. *J Dermatol Surg Oncol.* 1993 Jul;19(7):641-6.

Zimmet, SE. Hyaluronidase in the prevention of sclerotherapy-induced extravasation necrosis: a dose-response study. *Derm Surg* 1996;22:73-77.